



# Energy Saving T8 U-Bent Lamps

# U-Bent Energy Advantage T8

Philips Energy Advantage T8 25W U-Bent Lamps are environmentally responsible lamps, featuring energy savings and low mercury.

#### **Benefits**

- Sustainable lighting solution Reduces the impact on the environment—low mercury and energy efficient.
- Philips Energy AdvantageT8 U-Bent warranty period: 36 months.
- Ideal for locations already using the linear Philips Energy Advantage 25WT8 lamp.

#### **Features**

- Save 7 watts per lamp instantly and up to 25% in system energy costs when compared to a 32WT8 U-Bent.
- Save over \$16.80 in energy costs over the rated average life of the lamp when compared to a 32WT8 U-Bent\*
- Reduces the impact on the environment—low mercury and energy efficient.
- Only 3mg of mercury.
- Available in 25 watts with 3000, 3500, 4100 and 5000 Color Temperatures.
- \* Based on 24,000 hour rated average life at \$0.10 per kWh at 12 hours per start on an instant start ballast (7W x 24000 hours /1000 x \$0.10 = \$16.80).

#### **Application**

• Ideal for applications requiring maximum energy savings.

# U-Bent Energy Advantage T8

### Versions



G13, T8-UEA

## Dimensional drawing



Approval and Application			
Energy Saving Product	Energy Saving		
Mercury (Hg) Content (Nom)	a) 3.0 mg		
Operating and Electrical			
Power (Rated) (Nom)	) 25 W		
General Information			
Cap-Base	G13		
Life 3-Hr Start [Hrs]	20000 h		
Light Technical			
Color Rendering Index (Nom)	85		
Mechanical and Housing			
Bulb Shape	T8-6U		

#### Approval and Application

Order Code	Full Product Name	Picogram Per Lumen Hour	
927860183601	FB32T8/ADV835/6/XEW/ALTO 25W	64 pg/lm.h	
927860184201	FB32T8/ADV841/6/XEW/ALTO 25W	64 pg/lm.h	

Order Code	Full Product Name	Picogram Per Lumen Hour

66 pg/lm.h

FB32T8/ADV850/6/XEW/ALTO 25W

## **Light Technical**

927860185101

FB32T8/ADV850/6/XEW/ALTO 25W FB32T8/ADV841/6/XEW/ALTO 25W FB32T8/ADV835/6/XEW/ALTO 25W

# **U-Bent Energy Advantage T8**

Order Code	Full Product Name	Color Code	Color Designation	Correlated Color Temperature (Nom)	Design Mean Lumens	Luminous Flux (Nom)
927860183601	FB32T8/ADV835/6/XEW/ALTO 25W	Advantage 835	Advantage 835	3500 K	2330 lm	2400 lm
927860184201	FB32T8/ADV841/6/XEW/ALTO 25W	Advantage 841	Advantage 841	4100 K	2330 lm	2400 lm
927860185101	FB32T8/ADV850/6/XEW/ALTO 25W	Advantage 850	Advantage 850	5000 K	2280 lm	2350 lm

